

HEDIS Quality Measure Definitions -- PCN Payer Incentive Measures Only

The following table presents Pediatric Care Network (PCN) HEDIS quality incentive measures available in Innovaccer. Each measure category includes the definition of the eligible population, applicable measures, and information on measure compliance.

Provider Attribution:

Patients are attributed to providers based on the payer assigned PCP.

Measurement Year:

The HEDIS measurement year is a rolling measurement.

Measure Category	Eligible Population	Measures	HEDIS Measure
Asthma Management (Asthma Medication Ratio)	<p>Patients 5 years of age and older with persistent asthma. Eligibility based on age criteria as well as having persistent asthma in both the measurement year and the year prior to the measurement year, defined by meeting at least 1 of the following criteria.</p> <ul style="list-style-type: none"> - At least 1 ED visit with a <u>primary</u> diagnosis of asthma. - At least 1 acute inpatient discharge with a <u>primary</u> diagnosis of asthma. - At least 4 outpatient visits / observation visits with a diagnosis of asthma (<u>all diagnoses</u>) and at least two asthma medication dispensing events for any controller or reliever medication - At least four asthma medication dispensing events for any controller or reliever medication (* If only leukotriene modifiers or antibody inhibitors dispensed, must also have at least 1 asthma diagnosis) <p>Exclusions:</p> <ul style="list-style-type: none"> - Members who have no asthma controller medications dispensed during the measure year - Patients with the following diagnoses: Emphysema, COPD, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, Acute Respiratory Failure. <p>Continuous Enrollment Requirement: No more than 1 gap in enrollment up to 45 days for each year of continuous enrollment; inclusive of both the year prior to the measurement year and the measurement year.</p>	<p>The percentage of patients during the measurement year who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater (i.e. more controllers prescribed and filled than quick relievers).</p> <p>Notes:</p> <ul style="list-style-type: none"> - Oral medication dispensing events are counted for each prescription lasting 30 days or less. For each prescription longer than 30 days, the days supply is divided by 30 and rounded down to nearest number to determine the number of dispensing events. - Inhaler dispensing events: All inhalers (i.e. canisters) of the same medication dispensed on the same day count as one dispensing event. - Injection dispensing events: Each injection counts as one dispensing event (multiple injections of same or different medications on same day count as separate dispensing events). 	- HEDIS: Asthma Medication Ratio (AMR)

Measure Category	Eligible Population	Measures	HEDIS Measure
Chlamydia Screening	<p>Women ages 16 through 24 with diagnoses and/or procedures indicative of sexual activity in the measurement year. Sexual activity is determined based on both medical and pharmacy claims.</p> <p>Exclusions:</p> <ul style="list-style-type: none"> - Pregnancy test followed within 7 days by diagnostic radiology - Pregnancy test followed within 7 days by a prescription for isotretinoin <p>Continuous Enrollment Requirement: No more than 1 gap in enrollment up to 45 days for the measurement year</p>	<p>- Evidence of at least 1 screening for chlamydia in the measurement year.</p>	- HEDIS: Chlamydia Screening in Women (CHL)
Immunizations Childhood Age 2	<p>Children turning 2 years of age in the measurement year.</p> <p>Exclusions:</p> <ul style="list-style-type: none"> - All Vaccines: Anaphylactic reaction to vaccine or its components - DTaP: Encephalopathy with a vaccine adverse-effect code - MMR, VZV, Influenza: Immunodeficiency, HIV, Lymphoreticular cancer, multiple myeloma or leukemia <p>Continuous Enrollment Requirement: No more than 1 gap in enrollment up to 45 days during 12 months prior to the child's 2nd birthday.</p>	<p>Evidence of receiving the following by 2 years of age:</p> <ul style="list-style-type: none"> - 4 DTaP - 3 IPV - 1 MMR - 3 HiB - 3 Hepatitis B - 4 PCV - 1 VZV - 2 or 3 Rotavirus (2 vs. 3 dependent on vaccine series) - 1 Hepatitis A - 2 Influenza <p>* Combo-7 (without flu) and combo-10 (with flu) are reported</p> <p>* Vaccines within 14 days will not be counted separately</p>	- HEDIS: Childhood Immunization Status (CIS)
Immunizations for Adolescents Age 13	<p>Adolescents turning 13 years of age in the measurement year.</p> <p>Exclusions:</p> <ul style="list-style-type: none"> - Anaphylactic reaction to the vaccines or its components <p>Continuous Enrollment Requirement: No more than 1 gap in enrollment up to 45 days during 12 months prior to the patient's 13th birthday.</p>	<p>Evidence of receiving the following:</p> <ul style="list-style-type: none"> - 1 MCV (between 11th and 13th birthday) - 1 Tdap/Td or 1 Tetanus/1 Diphtheria (between 10th and 13th birthday) - 2 HPV (between 9th and 13th birthday; at least 5 months apart) 	- HEDIS: Immunizations for Adolescents (IMA)
Lead Screening in Children	<p>Children turning 2 years of age in the measurement year.</p> <p>Exclusion:</p> <ul style="list-style-type: none"> - None <p>Continuous Enrollment Requirement: No more than 1 gap in enrollment up to 45 days during 12 months prior to the child's second birthday.</p>	<p>Evidence of at least 1 lead capillary or venous blood test on or before child's second birthday.</p>	- HEDIS: Lead Screening in Children (LSC)

Measure Category	Eligible Population	Measures	HEDIS Measure
Well-Child Visits First 15 Months of Life	<p>Patients who turned 15 months of age during the measurement year.</p> <p>Exclusions: None</p> <p>Continuous Enrollment Requirement: 31 days through 15 months of age. No more than one gap in enrollment of up to 45 days during the continuous enrollment period.</p>	- Evidence of 6 or more well visits with a primary care provider (pediatrics, family medicine, nurse practitioner, physician assistant) within the first 15 months of a child's life.	- HEDIS: Well-Child Visits in the First 15 Months of Life (W15) Well-Child Visits in the First 30 Months of Life (W30)
Well-Child Visits 15 to 30 Months of Life	<p>Patients who turned 30 months of age during the measurement year.</p> <p>Exclusions: None</p> <p>Continuous Enrollment Requirement: 15 months through 30 months of age. No more than one gap in enrollment of up to 45 days during the continuous enrollment period.</p>	- Evidence of 2 or more well visits with a primary care provider (pediatrics, family medicine, nurse practitioner, physician assistant) between the patient's 15-month birthday plus 1 day and the 30-month birthday.	- HEDIS: Well-Child Visits in the First 30 Months of Life (W30)
Well-Child Visits Ages 3 to 6 Years	<p>Patients who turned 3 to 6 years old as of December 31st of the measurement year.</p> <p>Exclusions: None</p> <p>Continuous Enrollment Requirement: No more than one gap in enrollment of up to 45 days during the measurement year.</p>	- Evidence of at least 1 well-child visit with a primary care provider (pediatrics, family medicine, nurse practitioner, physician assistant) during the measurement year.	- HEDIS: Well Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life (W34) Child and Adolescent Well-Care Visits (WCV)
Well-Child Visits Ages 12-21 Years	<p>Patients who turned 12 to 21 years old as of December 31st of the measurement year.</p> <p>Exclusions: None</p> <p>Continuous Enrollment Requirement: No more than one gap in enrollment of up to 45 days during the measurement year.</p>	- Evidence of at least 1 well-care visit with a primary care provider (pediatrics, family medicine, internal medicine, Ob-Gyn) during the measurement year.	- HEDIS: Adolescent Well Care Visits (AWC) Child and Adolescent Well-Care Visits (WCV)
Well-Child Visits Ages 3-21 Years	<p>Patients who turned 3 to 21 years old as of December 31st of the measurement year.</p> <p>Exclusions: None</p> <p>Continuous Enrollment Requirement: No more than one gap in enrollment of up to 45 days during the measurement year.</p>	- Evidence of at least 1 well-care visit with a primary care provider (pediatrics, family medicine, internal medicine, Ob-Gyn) during the measurement year.	- HEDIS: Child and Adolescent Well-Care Visits (WCV)